Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	146	machine and real$4 near2 time and (communicat$5 network internet) same ($5computer $5controller) same (host central master) with manufactur$ same (client local operator user) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:03
L8	44	identification with (host central master) with (client local operator user) same (communicat$5 network internet) same ($5computer $5controller) same (machine source deivce) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:07
L9	31	identification with (host central master) with (client local operator user) with ($5computer $5controller) same (machine source deivce) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:08
L10	32	(identification id) near3 (client local operator user) with (host central master) with ($5computer $5controller) same (machine source deivce) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:10
L11	13	(identification id) near3 (client local interface terminal) with (host central master) with ($5computer $5controller) same (machine source deivce) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:21
L12	27	(identification id) near3 (client local interface terminal) with (host central master) same ($5computer $5controller) same (machine source deivce) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:22
L13	26	(identification id) with (client local operator user) with (interface terminal) with (host central master) same ($5computer $5controller) same (machine source deivce) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:22

L14	14	(identification id) with (client local operator user) with (interface terminal) with (host central master) with ($5computer $5controller) same (machine source deivce) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB .	OR	ON	2005/04/20 15:27
L15	33	(identification id) with (client local operator user) with (host central master) same ($5computer $5controller) same (interface terminal) same (machine source deivce) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:53
L16	1	"712"/$ and (identification id) with (client local operator user) with (host central master) same ($5computer $5controller) same (interface terminal) same (machine source deivce) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:29
L17	4	"709"/$ and (identification id) with (client local operator user) with (host central master) same ($5computer $5controller) same (interface terminal) same (machine source deivce) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:52
L18	0	"706"/$ and (identification id) with (client local operator user) with (host central master) same ($5computer $5controller) same (interface terminal) same (machine source deivce) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:28
L19	1	"702"/$ and (identification id) with (client local operator user) with (host central master) same ($5computer $5controller) same (interface terminal) same (machine source deivce) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:52

L20	0	"700"/$ and (identification id) with (client local operator user) with (host central master) same ($5computer $5controller) same (interface terminal) same (machine source deivce) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:28
L21	16	(identification id) near3 (client local operator user) with (host central master) same ($5computer $5controller) same (interface terminal) same (machine source deivce) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:56
L22	65	(identification id) near3 (client local operator user) with (host central master) same ($5computer $5controller interface terminal) same (machine source deivce) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:56
L23	264	(identification id) near3 (client local operator user) with (host central master) same ($5computer $5controller interface terminal) same (machine source device) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:56
L24	65	(identification id) near3 (client local operator user) with (host central master) same ($5computer $5controller interface terminal) same (machine source) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:57
L25	43	(identification id) near3 (client local operator user) with (machine source) with (host central master) same ($5computer $5controller interface terminal) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 16:12

L26	1	"712"/$ and (identification id) near3 (client local operator user) with (machine source) with (host central master) same ($5computer $5controller interface terminal) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:58
L27	3	"709"/$ and (identification id) near3 (client local operator user) with (machine source) with (host central master) same ($5computer $5controller interface terminal) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:59
L28	1	"702"/$ and (identification id) near3 (client local operator user) with (machine source) with (host central master) same ($5computer $5controller interface terminal) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:59
L29	1	"700"/$ and (identification id) near3 (client local operator user) with (machine source) with (host central master) same ($5computer $5controller interface terminal) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:59
L30	0	"706"/$ and (identification id) near3 (client local operator user) with (machine source) with (host central master) same ($5computer $5controller interface terminal) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:58
L31	10	(identification id) near3 (client local operator) with (machine source) with (host central master) same ($5computer $5controller interface terminal) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 16:15

L32	36	(identification id) near3 (client local interface terminal) with (machine source) with (host central master) same ($5computer $5controller interface terminal) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 16:16
L33	61	(identif$3 identification id) near3 (client local interface terminal) with (machine source) with (host central master) same ($5computer $5controller interface terminal) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 16:16
L36	83	(identif$3 identification id) near3 (client local interface terminal $5computer $5controller) with (machine source) with (host central master) with ($5computer $5controller) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 16:17
L37	96	(identif$3 identification id) near3 (client local interface terminal $5computer $5controller) with (machine source) with (host central master) same ($5computer $5controller) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 16:18
L38	53	(identif$3 identification id) near3 (client local interface terminal $5computer $5controller) with (machine source) with (host central master) same ($5computer $5controller) same (client local user operator) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 16:19
L39	28	(identif$3 identification id) near3 (client local interface terminal $5computer $5controller) with (machine source) with (host central master) with (client local user operator) same ($5computer $5controller) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 16:20

L40	16	(identif$3 identification id) near3 (client local interface terminal $5computer $5controller) with (machine source) with (host central master) with (client local user operator) with ($5computer $5controller) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 16:19
L41	1	"712"/$ and (identif$3 identification id) near3 (client local interface terminal $5computer $5controller) with (machine source) with (host central master) with (client local user operator) same ($5computer $5controller) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 16:20
L42	3	"709"/$ and (identif$3 identification id) near3 (client local interface terminal $5computer $5controller) with (machine source) with (host central master) with (client local user operator) same ($5computer $5controller) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 16:20
L43	1	"706"/$ and (identif$3 identification id) near3 (client local interface terminal $5computer $5controller) with (machine source) with (host central master) with (client local user operator) same ($5computer $5controller) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 16:20
L44	1	"702"/$ and (identif$3 identification id) near3 (client local interface terminal $5computer $5controller) with (machine source) with (host central master) with (client local user operator) same ($5computer $5controller) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 16:20

L45	0	"700"/$ and (identif$3 identification id) near3 (client local interface terminal $5computer $5controller) with (machine source) with (host central master) with (client local user operator) same ($5computer $5controller) same (communicat$5 network internet) and (@ad<"20010713" @rlad<"20010713")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 16:20